



## BETAETIGER AZM 161-B6S

- For very small actuating radii

### Data

#### Ordering data

Product type description	BETAETIGER AZM 161-B6S
Article number (order number)	101170375
EAN (European Article Number)	4030661297637
eCl@ss number, version 12.0	27-27-26-06
eCl@ss number, version 11.0	27-27-26-06
eCl@ss number, version 9.0	27-27-26-06
ETIM number, version 7.0	EC001487
ETIM number, version 6.0	EC001487

#### General data

Coding level according to EN ISO 14119	Low
Material of the actuator	Stainless steel (V2A)
Gross weight	35 g

#### Mechanical data

Actuating radius, minimum	95 mm
Actuator	flexible
Actuating play in direction of actuation	2 mm

## Note

Note (General)

minimum actuating radius on rotating guard systems via the narrow edge of the actuator 95 mm

minimum actuating radius on hinged guards in line with the plane of the actuator 95 mm

## Pictures

### Product picture (catalogue individual photo)



ID: kazm1f46

| 7.3 MB | .tif | 195.4 x 130.2 mm - 1954 x 1302 px - 254 dpi

| 184.1 kB | .jpg | 352.778 x 235.303 mm - 1000 x 667 px - 72 dpi


| 16.7 kB | .png | 74.083 x 49.389 mm - 210 x 140 px - 72 dpi

| 24.2 kB | .jpg | 123.472 x 82.197 mm - 350 x 233 px - 72 dpi

| 21.0 kB | .png | 74.083 x 74.083 mm - 210 x 210 px - 72 dpi

| 1.5 MB | .png | 200 x 133.3 mm - 2000 x 1333 px - 254 dpi

### Dimensional drawing actuator




ID: 1azm1b26

| 58.0 kB | .cdr |

| 10.9 kB | .png | 74.083 x 51.506 mm - 210 x 146 px - 72 dpi

| 109.4 kB | .jpg | 352.778 x 245.181 mm - 1000 x 695 px - 72 dpi

### Actuating radius




ID: kazm1r04

| 19.8 kB | .cdr |

| 3.4 kB | .png | 74.083 x 37.042 mm - 210 x 105 px - 72 dpi

| 73.6 kB | .jpg | 352.778 x 176.389 mm - 1000 x 500 px - 72 dpi

### Actuating radius



ID: kazm1r06

| 19.8 kB | .cdr |

| 3.5 kB | .png | 74.083 x 44.45 mm - 210 x 126 px - 72 dpi

| 78.0 kB | .jpg | 352.778 x 211.667 mm - 1000 x 600 px - 72 dpi

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 27/02/2026, 14:29